

Report Number
F23138-6520
Account Number
18215



3505 Conestoga Dr.
Fort Wayne, IN 46808
260.483.4759
algreatlakes.com



To: RECYCLING & WASTE REDUCTION
RM 314
155 INDIANA AVE
VALPARAISO, IN 46383-5599

For: PORTAGE

Attn: STEVE DOLAK

Sample ID: PORTAGE
Lab Number: 55596

Date Sampled: 5/17/2023
Date Received: 5/18/2023
Date Reported: 6/1/2023

Page: 1 of 4

COMPOST ANALYSIS

Analysis	Unit	Analysis Result	Dry Basis Result	Analysis Method
Moisture @ 70 C	%	67.90		TMECC 03.09-A
Solids	%	32.10		TMECC 03.09-A
Total Nitrogen (N)	%	0.66	2.05	TMECC 04.02-D
Phosphorus (P)	%	0.07	0.21	TMECC 04.03-A
Phosphate (P ₂ O ₅)	%	0.16	0.48	TMECC 04.03-A
Potassium (K)	%	0.20	0.61	TMECC 04.04-A
Potash (K ₂ O)	%	0.23	0.73	TMECC 04.04-A
Magnesium (Mg)	%	0.31	0.96	TMECC 04.05-MG
Calcium (Ca)	%	1.49	4.64	TMECC 04.05-CA
Arsenic	mg/kg	0.74	2.32	US EPA SW846-6020
Cadmium	mg/kg	0.132	0.410	US EPA SW846-6020
Chromium	mg/kg	4.4	13.7	US EPA SW846-6020
Copper	mg/kg	11.7	36.3	US EPA SW846-6010C
Mercury	mg/kg	0.023	0.071	US EPA SW846-6020
Molybdenum	mg/kg	0.51	1.60	US EPA SW846-6020

TMECC - Test Methods for the Examination of Composting and Compost (TMECC), The U.S. Composting Council.

-COMPOST

Report Approved By: *Jamie J. Bultemeier* Approval Date: 6/01/2023
 Jamie Bultemeier - Agronomist / Technical Services - CPAg/CCA

Report Number
F23138-6520
Account Number
18215



3505 Conestoga Dr.
Fort Wayne, IN 46808
260.483.4759
algreatlakes.com



To: RECYCLING & WASTE REDUCTION
RM 314
155 INDIANA AVE
VALPARAISO, IN 46383-5599

For: PORTAGE

Attn: STEVE DOLAK

Sample ID: PORTAGE
Lab Number: 55596

Date Sampled: 5/17/2023
Date Received: 5/18/2023
Date Reported: 6/1/2023

Page: 2 of 4

COMPOST ANALYSIS

Analysis	Unit	Analysis Result	Dry Basis Result	Analysis Method
Nickel	mg/kg	3.3	10.4	US EPA SW846-6020
Lead	mg/kg	3.12	9.73	US EPA SW846-6020
Selenium	mg/kg	0.32	1.01	US EPA SW846-6020
Zinc	mg/kg	38	119	US EPA SW846-6010C
503 Metals PASS/FAIL	pass/fail		PASS	EPA 503 Metal Limits
pH	-	7.9		TMECC 04.11-A
Soluble Salts	dS/m	2.42		TMECC 04.10-A
Fecal Coliform/MPN	MPN/g dry		< 2	SM(20th)-9221E TMECC
Pathogen Reduction - PASS/FAIL	pass/fail		PASS	40 CFR 503 Class A Compost
Ash @ 550 C	%	10.50	32.72	TMECC 03.02-B
Organic Matter (LOI @ 550 C)	%	21.60	67.28	TMECC 05.07-A
Total Organic Carbon (C)	%	10.80	33.64	TMECC 04.01-A
Carbon:Nitrogen Ratio (C:N)	-	16.4:1	16.4:1	TMECC 05.02-A
Inerts - Total	%		0.00	TMECC 02.02-C
Foreign Material	%		0.00	TMECC 03.08-A

Report Number
F23138-6520
Account Number
18215



3505 Conestoga Dr.
Fort Wayne, IN 46808
260.483.4759
algreatlakes.com



To: RECYCLING & WASTE REDUCTION
RM 314
155 INDIANA AVE
VALPARAISO, IN 46383-5599

For: PORTAGE

Attn: STEVE DOLAK

Sample ID: PORTAGE
Lab Number: 55596

Date Sampled: 5/17/2023
Date Received: 5/18/2023
Date Reported: 6/1/2023

Page: 3 of 4

COMPOST ANALYSIS

Analysis	Unit	Analysis Result	Dry Basis Result	Analysis Method
Germination - Emergence	%	93		TMECC 05.05-A
Germination - Vigor	%	100		TMECC 05.05-A
Ave Ht of Seedlings in Control	centimeters	10.0		TMECC 05.05-A
Ave Ht of Seedlings in Compost	centimeters	12.5		TMECC 05.05-A
Respiration - CO ₂ -C/g TS	mg CO ₂ -C / g TS/Day		0.6	TMECC 05.08-B
Respiration - CO ₂ -C/g OM	mg CO ₂ -C / g OM/Day		0.3	TMECC 05.08-B
Compost Stability Index	-		Very Stable	TMECC 05.08
Passing U.S. 3/8-inch Sieve	%		91.55	TMECC 02.02-B
Retained on U.S. 3-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 2-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 1-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 3/4-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 5/8-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 1/2-inch Sieve	%		0.00	TMECC 02.02-B
Retained on U.S. 3/8-inch Sieve	%		8.45	TMECC 02.02-B

Report Number
F23138-6520
Account Number
18215



a&lgreatlakes
LABORATORIES
Scientists who don't mind getting dirty.™

3505 Conestoga Dr.
Fort Wayne, IN 46808
260.483.4759
algreatlakes.com



To: RECYCLING & WASTE REDUCTION
RM 314
155 INDIANA AVE
VALPARAISO, IN 46383-5599

For: PORTAGE

Attn: STEVE DOLAK

Sample ID: PORTAGE
Lab Number: 55596

Date Sampled: 5/17/2023
Date Received: 5/18/2023
Date Reported: 6/1/2023

Page: 4 of 4

COMPOST ANALYSIS

Analysis	Unit	Analysis Result	Dry Basis Result	Analysis Method
Retained on U.S. 1/4-inch Sieve	%		10.91	TMECC 02.02-B